Pascoe's

Chemwatch Hazard Alert Code: 3 Chemwatch: 5406-77 Issue Date: 15/07/2020 Version No: 2.1.1.1 Print Date: 23/07/2020 Safety Data Sheet according to WHS and ADG requirements L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Glitz Toilet Cleaner Citrus
Synonyms	750 mL
Other means of identification	Not Available
Palayant identified uses of the substance or mixture and uses advised against	

Relevant identified uses of the substance or mixture and uses advised against

	Toilet bowl cleaner.
Relevant identified uses	Use according to manufacturer's directions.
	SDS are intended for use in the workplace. For domestic-use products, refer to consumer labels.

Details of the supplier of the safety data sheet

Registered company name	Pascoe's
Address	40-46 Fairfield St Fairfield East NSW 2165 Australia
Telephone	+61 1800 065 326
Fax	Not Available
Website	http://www.pascoes.com.au/
Email	info@pascoes.com.au

Emergency telephone number

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE	
Emergency telephone numbers	+61 1800 951 288	
Other emergency telephone numbers	+61 2 9186 1132	

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS

	Min Max	
Flammability	0	
Toxicity	1	0 = Minimum
Body Contact	3	1 = Low 2 = Moderate
Reactivity	1	3 = High
Chronic	0	4 = Extreme

Poisons Schedule	Not Applicable	
Classification ^[1]	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1, Acute Aquatic Hazard Category 3	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

I shal alamants

Ladel elements	
Hazard pictogram(s)	
SIGNAL WORD	DANGER
Hazard statement(s)	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H402	Harmful to aquatic life.

Precautionary statement(s) Prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/physician.	
P321	Specific treatment (see advice on this label).	
P362	Take off contaminated clothing and wash before reuse.	

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
77-92-9	1-10	citric acid
68439-50-9	1-5	alcohols C12-14 ethoxylated
2682-20-4	<0.05	2-methyl-4-isothiazolin-3-one
2634-33-5	<0.05	1,2-benzisothiazoline-3-one
Not Available	>60	Ingredients determined not to be hazardous

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
 Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result		
Advice for firefighters			
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. 		

Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Other decomposition products include: carbon dioxide (CO2) nitrogen oxides (NOx) other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes.
HAZCHEM	Not Applicable

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling	
	 DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation.
Safe handling	 Wear protective clothing when risk of exposure occurs.

Safe handling	Wear protective clothing when risk of exposure occurs.
	 Use in a well-ventilated area. Avoid contact with moisture.
Other information	 Store in original containers. Keep containers securely sealed.
ould information	 Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid reaction with oxidising agents

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Glitz Toilet Cleaner Citrus	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
citric acid	Not Available		Not Available	
alcohols C12-14 ethoxylated	Not Available		Not Available	
2-methyl-4-isothiazolin-3-one	Not Available		Not Available	
1,2-benzisothiazoline-3-one	Not Available		Not Available	

OCCUPATIONAL EXPOSURE BANDING

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
citric acid	E	≤ 0.01 mg/m³
alcohols C12-14 ethoxylated	E	≤ 0.1 ppm

2-methyl-4-isothiazolin-3-one	D	> 0.01 to ≤ 0.1 mg/m³	
1,2-benzisothiazoline-3-one	E	≤ 0.01 mg/m³	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

MATERIAL DATA

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.		
Personal protection			
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. 		
Skin protection	See Hand protection below		
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Butyl rubber gloves Nitrile rubber gloves (Note: Nitric acid penetrates nitrile gloves in a few minutes.) 		
Body protection	See Other protection below		
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. 		

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Glitz Toilet Cleaner Citrus

Material	CPI
BUTYL	A
NEOPRENE	А
VITON	А
NATURAL RUBBER	С
PVA	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class1 P2	-
up to 50	1000	-	A-AUS / Class 1 P2
up to 50	5000	Airline *	-
up to 100	5000	-	A-2 P2
up to 100	10000	-	A-3 P2
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

^{*} Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Appearance Clear, green, viscous liquid with citrus odour; miscible with water.		
Physical state	Liquid	Relative density (Water = 1)	1.04-1.06
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	3.0-3.5	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.		
Skin Contact	Evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation being present twenty-four hours or more after the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (nonallergic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may progress to blistering (vesiculation), scaling and thickening of the epidermis. At the microscopic level there may be intercellular oedema of the spongy layer of the skin (spongiosis) and intracellular oedema of the epidermis. The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material densure that any external damage is suitably protected.		
Eye	When applied to the eye(s) of animals, the material produces severe ocular lesions which are present twenty-four hours or more after instillation.		
Chronic	Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.		
Glitz Toilet Cleaner Citrus	TOXICITY Not Available	IRRITATION Not Available	
	TOXICITY	IRRITATION	
citric acid	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (rabbit): 0.75 mg/24h-SEVERE	
	Oral (rat) LD50: 3000 mg/kg ^[2]	Skin (rabbit): 500 mg/24h - mild	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
alcohols C12-14 ethoxylated	TOMOTT		

Eye: no adverse effect observed (not irritating)^[1]

Glitz Toilet Cleaner Citrus

Oral (rat) LD50: >2000 mg/kg^[1]

		Skin (rabbit): irritant *	
		Skin: no adverse effect observed (not irritating) ^[1]	
	TOXICITY	IRRITATION	
2-methyl-4-isothiazolin-3-one	dermal (rat) LD50: 242 mg/kg ^[1]	Eye: adverse effect observed (irreversible damage) ^[1]	
-	Oral (rat) LD50: 120 mg/kg ^[1]	Skin: adverse effect observed (corrosive) ^[1]	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
1,2-benzisothiazoline-3-one	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: adverse effect observed (irreversible damage) ^[1]	
	Oral (rat) LD50: 454 mg/kg ^[1]	Skin: no adverse effect observed (not irritating) ^[1]	
Legend:	' 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		
CITRIC ACID	for citric acid (and its inorganic citrate salts) Based on many experimental data in animals and on human experience, citric acid is of low acute toxicity. The NOAEL for repeated dose toxicity for rats is 1200 mg/kg/d. The major, reversible (sub)chronic toxic effects seem to be limited to changes in blood chemistry and metal absorption/excretion kinetics. Citric acid is not suspected of being a carcinogen nor a reprotoxic or teratogenic agent.		
ALCOHOLS C12-14 ETHOXYLATED	Human beings have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents, and other cleaning products. Exposure to these chemicals can occur through ingestion, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that volumes well above a reasonable intake level would have to occur to produce any toxic response. Moreover, no fatal case of poisoning with alcohol ethoxylates has ever been reported. Alcohol ethoxylates are according to CESIQ (2000) classified as Inritant or Harmful depending on the number of EO-units: EO < 5 gives Inritant (Xi) with R38 (tritating to skin) and R41 (Risk of serious damage to eyes) EO > 5-15 gives Harmful (Xn) with R22 (Harmful if swallowed) - R38/41 EO > 15-20 gives Harmful (Xn) with R22-41 > 20 EO is not classified (CESIO 2000) Oxo-AE, C13 EO15 and C13 EO15, are Irritating (X) with R36/38 (Irritating to eyes and skin) . AE are not included in Annex 1 of the list of dangerous substances of the Council Directive 67/548/EEC In general, alcohol ethoxylates (AE) are readily absorbed through the skin of guinea pigs and rats and through the gastrointestinal mucosa of rats. AE are quickly eliminated from the body through the urine, faeces, and expired air (CO2). Orally dosed AE was absorbed rapidly and extensively in rats, and more than 75% of the dose was absorbed. When applied to the skin of humans, the doses were absorbed slowly and incompletely (50% absorbed in 72 hours). Half of the absorbed surfactant was excreted promptly in the urine and smaller amounts of AE appeared in the faeces and expired air (CO2).). For high boling ethylene glyco ether (togE), suggest that the rate of absorption in skin of these three glyco ethers; Stkin absorption: Available skin absorption data for triethylene glycol ether (TGBE), triethylene glycol ether (TGME), and triethylene glycol ether having the highest permeation constant and the budy there hours the highest permeation constant and the budy there were solabos		
2-METHYL- 4-ISOTHIAZOLIN-3-ONE	 BASE Charada ** [Henkel CCINFO 1450373] Exposure to the material may result in a possible risk of irreversible effects. The material may produce mutagenic effects in man. This concern is raised, generally, on the basis of appropriate studies with similar materials using mammalian somatic cells in vivo. Such findings are often supported by positive results from in vitro mutagenicity studies. In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried our before they can be placed on the market. A central element in the risk assessment of the biocidal products is carried our before they can be placed on the market. A central element in the risk assessment of industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non-professional users. No significant acute toxicological data identified in literature search. The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. Formaldehyde generators (releasers) are often used as preservatives (antimicrobials, biocides, microbiocides). Formaldehyde may be generated following hydrolysis. The most widely used antimicrobial compounds function by releasing formaldehyde once inside the microbe cell. Some release detectable levels of formaldehyde into the air space, above working solutions, especially when pH has dropped. Many countries are placing regulatory pressure on suppliers and users to replace formaldehyde generators. Formaldehyde generators are a diverse group of chemicals that can be recognised by a small, easily detachable formaldehyde moiety, prepa		

Glitz Toilet Cleaner Citrus

	cellular DNA. Considered to be a minor sensitiser in Kathon CG (1) (1). Bruze etal - Contact Dermatit	s 20: 219-39, 1989	
1,2-BENZISOTHIAZOLINE-3-ONE	 Acute toxicity data show that 1,2-benzisothiazoline-3-one (BIT) is moderately toxic by severe eye irritant. Irritation to the skin from acute data show only mild skin irritation, busignificant skin irritation response. The neurotoxicity observed in the rat acute oral toxicity study (piloerection and upward decreased activity, prostration, decreased abdominal muscle tone, reduced righting refl mg/kg) and the acute dermal toxicity study (upward curvature of the spine was observe post-dose at a dose of 2000 mg/kg) were felt to be at exposures in excess of those exp such effects would not be observed at estimated exposure doses. Subchronic oral toxicity studies showed systemic effects after repeated oral administ incidence of forestomach hyperplasia, and non-glandular stomach lesions in rats. In doi included alterations in blood chemistry (decreased plasma albumin, total protein, and al weight. Developmental toxicity studies were conducted in rats with maternal effects including consumption, and clinical toxicity signs (audible breathing, haircoat staining of the anog as well as increased mortality. Developmental effects consisted of increases in skeletal unossified sternebrae) but not external or visceral abnormalities. Reproductive toxicity: In a two- generation reproduction study, parental toxicity was o in the stomach. 	It repeated dermal application indicated a more survature of the spine at 300 mg/kg and above; ex, and decreased rate and depth of breathing at 900 d in increased incidence, but this was absent after day 5 acted from the use pattern of this pesticide and that ation including decreased body weight, increased µs, the effects occurred at lower doses than in rats, and anine aminotransferase) and increased absolute liver decreased body weight gain, decreased food enital region, dry brown material around the nasal area) abnormalities (extra sites of ossification of skull bones,	
	Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the epidermis.		
CITRIC ACID & 2-METHYL- 4-ISOTHIAZOLIN-3-ONE	compound. Key criteria for the diagnosis of RADS include the absence of preceding res- onset of persistent asthma-like symptoms within minutes to hours of a documented exp spirometry, with the presence of moderate to severe bronchial hyperreactivity on metha lymphocytic inflammation, without eosinophilia, have also been included in the criteria for The material may cause skin irritation after prolonged or repeated exposure and may pro-	owing exposure to high levels of highly irritating piratory disease, in a non-atopic individual, with abrupt osure to the irritant. A reversible airflow pattern, on choline challenge testing and the lack of minimal or diagnosis of RADS. oduce a contact dermatitis (nonallergic). This form of	
	 compound. Key criteria for the diagnosis of RADS include the absence of preceding resonset of persistent asthma-like symptoms within minutes to hours of a documented exp spirometry, with the presence of moderate to severe bronchial hyperreactivity on methal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for The material may cause skin irritation after prolonged or repeated exposure and may prodermatitis is often characterised by skin redness (erythema) and swelling epidermis. His spongy layer (spongiosis) and intracellular oedema of the epidermis. The following information refers to contact allergens as a group and may not be specific Contact allergies quickly manifest themselves as contact eczema, more rarely as urticate eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. 	owing exposure to high levels of highly irritating piratory disease, in a non-atopic individual, with abrupt osure to the irritant. A reversible airflow pattern, on choline challenge testing and the lack of minimal or diagnosis of RADS. oduce a contact dermatitis (nonallergic). This form of tologically there may be intercellular oedema of the to this product. ia or Quincke's oedema. The pathogenesis of contact Other allergic skin reactions, e.g. contact urticaria, not simply determined by its sensitisation potential: the	
4-ISOTHIAZOLIN-3-ONE 2-METHYL- 4-ISOTHIAZOLIN-3-ONE 8	 compound. Key criteria for the diagnosis of RADS include the absence of preceding resonset of persistent asthma-like symptoms within minutes to hours of a documented exp spirometry, with the presence of moderate to severe bronchial hyperreactivity on metha lymphocytic inflammation, without eosinophilia, have also been included in the criteria for The material may cause skin irritation after prolonged or repeated exposure and may pridermatitis is often characterised by skin redness (erythema) and swelling epidermis. His spongy layer (spongiosis) and intracellular oederna of the epidermis. The following information refers to contact allergens as a group and may not be specific Contact allergies quickly manifest themselves as contact eczema, more rarely as urtical eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. involve antibody-mediated immune reactions. The significance of the contact allergen is 	owing exposure to high levels of highly irritating piratory disease, in a non-atopic individual, with abrupt osure to the irritant. A reversible airflow pattern, on choline challenge testing and the lack of minimal or diagnosis of RADS. oduce a contact dermatitis (nonallergic). This form of tologically there may be intercellular oedema of the to this product. ia or Quincke's oedema. The pathogenesis of contact Other allergic skin reactions, e.g. contact urticaria, not simply determined by its sensitisation potential: the nt.	
4-ISOTHIAZOLIN-3-ONE 2-METHYL- 4-ISOTHIAZOLIN-3-ONE 8 1,2-BENZISOTHIAZOLINE-3-ONE	 compound. Key criteria for the diagnosis of RADS include the absence of preceding resonset of persistent asthma-like symptoms within minutes to hours of a documented exp spirometry, with the presence of moderate to severe bronchial hyperreactivity on methallymphocytic inflammation, without eosinophilia, have also been included in the criteria for The material may cause skin irritation after prolonged or repeated exposure and may predermatitis is often characterised by skin redness (erythema) and swelling epidermis. His spongy layer (spongiosis) and intracellular oedema of the epidermis. The following information refers to contact allergens as a group and may not be specific Contact allergies quickly manifest themselves as contact eczema, more rarely as urticate eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. involve antibody-mediated immune reactions. The significance of the contact allergen is distribution of the substance and the opportunities for contact with it are equally importation. 	owing exposure to high levels of highly irritating piratory disease, in a non-atopic individual, with abrupt osure to the irritant. A reversible airflow pattern, on choline challenge testing and the lack of minimal or diagnosis of RADS. oduce a contact dermatitis (nonallergic). This form of tologically there may be intercellular oedema of the to this product. ia or Quincke's oedema. The pathogenesis of contact Other allergic skin reactions, e.g. contact urticaria, not simply determined by its sensitisation potential: the nt.	
4-ISOTHIAZOLIN-3-ONE 2-METHYL- 4-ISOTHIAZOLIN-3-ONE 1,2-BENZISOTHIAZOLINE-3-ONE Acute Toxicity	compound. Key criteria for the diagnosis of RADS include the absence of preceding resonset of persistent asthma-like symptoms within minutes to hours of a documented exp spirometry, with the presence of moderate to severe bronchial hyperreactivity on metha lymphocytic inflammation, without eosinophilla, have also been included in the criteria for The material may cause skin irritation after prolonged or repeated exposure and may pridermatitis is often characterised by skin redness (erythema) and swelling epidermis. His spongy layer (spongiosis) and intracellular oedema of the epidermis. The following information refers to contact allergens as a group and may not be specific Contact allergies quickly manifest themselves as contact eczema, more rarely as urticate eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. involve antibody-mediated immune reactions. The significance of the contact allergens is distribution of the substance and the opportunities for contact with it are equally important.	owing exposure to high levels of highly irritating piratory disease, in a non-atopic individual, with abrupt osure to the irritant. A reversible airflow pattern, on choline challenge testing and the lack of minimal or diagnosis of RADS. oduce a contact dermatitis (nonallergic). This form of stologically there may be intercellular oedema of the to this product. ia or Quincke's oedema. The pathogenesis of contact Other allergic skin reactions, e.g. contact urticaria, not simply determined by its sensitisation potential: the nt.	
4-ISOTHIAZOLIN-3-ONE 2-METHYL- 4-ISOTHIAZOLIN-3-ONE 8 1,2-BENZISOTHIAZOLINE-3-ONE Acute Toxicity Skin Irritation/Corrosion	compound. Key criteria for the diagnosis of RADS include the absence of preceding resonset of persistent asthma-like symptoms within minutes to hours of a documented exp spirometry, with the presence of moderate to severe bronchial hyperreactivity on metha lymphocytic inflammation, without eosinophilia, have also been included in the criteria for The material may cause skin irritation after prolonged or repeated exposure and may pridermatitis is often characterised by skin redness (erythema) and swelling epidermis. His spongy layer (spongiosis) and intracellular oedema of the epidermis. The following information refers to contact allergens as a group and may not be specific Contact allergies quickly manifest themselves as contact eczema, more rarely as urtica eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. involve antibody-mediated immune reactions. The significance of the contact allergen is distribution of the substance and the opportunities for contact with it are equally importation reference and the opportunities for contact with it are equally imported in the substance and the opportunities for contact with it are equally imported in the substance and the opportunities for contact with it are equally imported in the substance and the opportunities for contact with it are equally imported in the substance and the opportunities for contact with it are equally imported in the substance and the opportunities for contact with it are equally imported in the substance and the opportunities for contact with it are equally imported in the substance and the opportunities for contact with it are equally imported in the substance and the opportunities for contact with it are equally imported in the substance and the opportunities for contact with it are equally imported in the substance and the opportunities for contact with it are equally imported in the substance is the substance and the opportunities for contact with it are equally imported in the substance is the substance int	owing exposure to high levels of highly irritating piratory disease, in a non-atopic individual, with abrupt osure to the irritant. A reversible airflow pattern, on choline challenge testing and the lack of minimal or diagnosis of RADS. oduce a contact dermatitis (nonallergic). This form of stologically there may be intercellular oedema of the to this product. ia or Quincke's oederma. The pathogenesis of contact Other allergic skin reactions, e.g. contact urticaria, not simply determined by its sensitisation potential: the nt.	

SECTION 12 ECOLOGICAL INFORMATION

Glitz Toilet Cleaner Citrus	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1-516mg/L	2
citric acid	EC50	48	Crustacea	>50mg/L	2
citric acid	EC50	72	Algae or other aquatic plants	990mg/L	2
	EC0	72	Crustacea	<80mg/L	1
	NOEC	16	Crustacea	153mg/L	4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.876mg/L	2
	EC50	48	Crustacea	0.39mg/L	2
alcohols C12-14 ethoxylated	EC50	72	Algae or other aquatic plants	0.13mg/L	2
	EC0	72	Algae or other aquatic plants	0.035mg/L	2
	NOEC	72	Algae or other aquatic plants	0.036mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.07mg/L	4
	EC50	48	Crustacea	0.18mg/L	4
-methyl-4-isothiazolin-3-one	EC50	72	Algae or other aquatic plants	0.05mg/L	4
	EC10	72	Algae or other aquatic plants	0.0346mg/L	2
	NOEC	96	Algae or other aquatic plants	0.01mg/L	2

	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.6mg/L	4
1,2-benzisothiazoline-3-one	EC50	48	Crustacea	0.062mg/L	4
	EC50	72	Algae or other aquatic plants	0.0403mg/L	2
	NOEC	72	Algae or other aquatic plants	0.055mg/L	2
	E				
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Su V3 12 (OSAR) - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessme				

V3. 12 (QSAR) - Aquatic Toxicity Data 2: Europe ECHA Registered Substances - Ecoloxicological Information - Aquatic Toxicity 3: Errivity Suite V3. 12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways. Harmful to aquatic organisms.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
citric acid	LOW	LOW
2-methyl-4-isothiazolin-3-one	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
citric acid	LOW (LogKOW = -1.64)
2-methyl-4-isothiazolin-3-one	LOW (LogKOW = -0.8767)

Mobility in soil

Ingredient	Mobility
citric acid	LOW (KOC = 10)
2-methyl-4-isothiazolin-3-one	LOW (KOC = 27.88)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal	 Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers.
------------------------------	--

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

CITRIC ACID IS FOUND ON THE FOLLOWING REGULATORY LISTS

Page 9 of 9 Glitz Toilet Cleaner Citrus

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -

ALCOHOLS C12-14 ETHOXYLATED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Schedule 6

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Inventory of Chemical Substances (AICS)

2-METHYL-4-ISOTHIAZOLIN-3-ONE IS FOUND ON THE FOLLOWING REGULATORY LISTS
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Inventory of Chemical Substances (AICS)

1,2-BENZISOTHIAZOLINE-3-ONE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Inventory of Chemical Substances (AICS)

National Inventory Status

National Inventory	Status
Australia - AICS	Yes
Canada - DSL	Yes
Canada - NDSL	No (citric acid; alcohols C12-14 ethoxylated; 2-methyl-4-isothiazolin-3-one; 1,2-benzisothiazoline-3-one)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	No (alcohols C12-14 ethoxylated)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	No (alcohols C12-14 ethoxylated)
Vietnam - NCI	Yes
Russia - ARIPS	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Revision Date	15/07/2020
Initial Date	15/07/2020

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC-TWA: Permissible Concentration-Time Weighted Average
- PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- OSF: Odour Safety Factor
- NOAEL :No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

end of SDS